

4 - Bolt Flange Blocks - Setscrew Locking

Series	Bearing Inner Ring	Housing	Housing Duty	Shaft Diameter		Page
				Inch	MM	
UCF	Wide	Square	Standard	1/2 - 3	12 - 75	26
UCFS	Wide	Square	Standard	1/2 - 2 7/16	12 - 60	27
UCFX	Wide	Square	Medium	7/8 - 3	-	28
SBF	Narrow	Square	Standard	1/2 - 1 1/2	-	29
SBFS	Narrow	Square	Light	3/4 - 1 1/2	-	30
SBFN	Narrow	Square	Light	1/2 - 1 3/4	-	31
UCFC	Wide	Round Cartridge	Standard	1/2 - 2 1/2	-	32

4 - Bolt Flange Blocks - Eccentric Locking Collar

Series	Bearing Inner Ring	Housing	Housing Duty	Shaft Diameter		Page
				Inch	MM	
HCFS	Wide	Square	Standard	3/4 - 2 7/16	20- 60	33
SAF	Narrow	Square	Standard	1/2 - 1 1/2	-	34
SAFS	Narrow	Square	Standard	3/4 - 1 1/2	-	35
SAFN	Narrow	Square	Light	1/2 - 1 3/4	-	36

3 - Bolt Flange Blocks - Ductile Iron Housing

Series	Bearing Inner Ring	Locking type	Housing Duty	Shaft Diameter		Page
				Inch	MM	
SBFCT	Narrow	Set Screw	Light	1/2 - 1 7/16	-	37
SAFCT	Narrow	Eccentric Collar	Light	1/2 - 1 7/16	-	38

Screw Conveyor Hanger Unit

Series	Bearing Inner Ring	Locking type	Housing Duty	Shaft Diameter		Page
				Inch	MM	
UCSH	Wide	Set Screw	Threaded Base	1/2 - 2	-	39

Take- Up Units - Wide Slot

Series	Bearing Inner Ring	Locking type	Housing Duty	Shaft Diameter		Page
				Inch	MM	
UCST	Wide	Set Screw	Standard	1/2 - 2 1/2	12 - 65	40
HCST	Wide	Eccentric Collar	Standard	1/2 - 2 7/16	20 - 60	41


Rubber Mounted - Cylindrical Cartridge

Series	Bearing Inner Ring	Locking type	Housing	Shaft Diameter		Page
				Inch	MM	
RCSMS	Narrow	Set Screw	Rubber Grommet	1/2 - 1	-	42
RCSM	Narrow	Eccentric Collar	Rubber Grommet	1/2 - 1	-	42

Rubber Mounted - Spherical Cartridge


Series	Bearing Inner Ring	Locking type	Housing	Shaft Diameter		Page
				Inch	MM	
SBR	Narrow	Set Screw	Rubber Grommet	1/2 - 1 1/4	-	43
SAR	Narrow	Eccentric Collar	Rubber Grommet	1/2 - 1 1/4	-	43

Wide Slot * Wide Inner Ring Bearing * Set Screw Locking
High Grade Cast Iron Housing * Relubricatable with Anti-Rotation Pin



Unit no.	Shaft Dia.		Dimensions (Inch)															Bearing No.	Housing No.	Weight lbs.
	Inch	mm	o	g	q	p	s	b	k	e	a	w	j	L2	h	Bi	n			
UCST201		12																UC201-8 UC202 UC202-10 UC203 UC203-11 UC204 UC204-12	ST204	1.76
UCST201-8	1/2	15																		
UCST202	5/8	17	5/8	3/8	2	1 1/4	3/4	2	17/32	3	3 1/2	3 11/16	1 1/4	15/16	2 3/8	1.2205	0.5000			
UCST203	11/16	20																		
UCST203-11																				
UCST204	3/4																			
UCST204-12																				
UCST205		25																UC205 UC205-14 UC205-15 UC205-16	ST205	1.90
UCST205-14	7/8		5/8	3/8	2	1 1/4	7/8	2	17/32	3	3 1/2	3 13/16	1 1/4	15/16	2 7/16	1.3386	0.5630			
UCST205-15	15/16																			
UCST205-16	1																			
UCST206		30																UC206 UC206-17 UC206-18 UC206-19 UC206-20	ST206	2.82
UCST206-17	1 1/16		5/8	3/8	2 3/16	1 7/16	7/8	2 1/4	17/32	3 1/2	4	4 7/16	1 7/16	15/16	2 3/4	1.5000	0.6200			
UCST206-18	1 1/8																			
UCST206-19	1 3/16																			
UCST206-20	1 1/4																			
UCST207		35																UC207 UC207-20 UC207-21 UC207-22 UC207-23	ST207	3.70
UCST207-20	1 1/4		5/8	1/2	2 1/2	1 7/16	7/8	2 1/2	17/32	3 1/2	4	5 1/16	1 7/16	1 3/16	3 1/16	1.6890	0.6890			
UCST207-21	1 5/16																			
UCST207-22	1 3/8																			
UCST207-23	1 7/16																			
UCST208		40																UC208 UC208-24 UC208-25	ST208	5.34
UCST208-24	1 1/2		3/4	5/8	3 1/4	1 15/16	1 1/8	3 1/4	11/16	4	4 1/2	5 11/16	1 15/16	1 3/8	3 1/2	1.9370	0.7480			
UCST208-25	1 9/16																			
UCST209		45																UC209 UC209-26 UC209-27 UC209-28	ST209	5.56
UCST209-26	1 5/8		3/4	5/8	3 1/4	1 15/16	1 1/8	3 1/4	11/16	4	4 5/8	5 11/16	1 15/16	1 3/8	3 7/16	1.9370	0.7480			
UCST209-27	1 11/16																			
UCST209-28	1 3/4																			
UCST210		50																UC210 UC210-30 UC210-31 UC210-32	ST210	6.06
UCST210-30	1 7/8		3/4	5/8	3 1/4	1 15/16	1 1/8	3 1/4	11/16	4	4 5/8	5 7/8	1 15/16	1 3/8	3 9/16	2.0315	0.7480			
UCST210-31	1 15/16																			
UCST210-32	2																			
UCST211		55																UC211 UC211-32 UC211-34 UC211-35	ST211	9.04
UCST211-32	2		1	3/4	4	2 1/2	1 3/8	3 3/4	1 1/16	5 1/8	5 3/4	6 3/4	2 1/2	1 5/8	4 3/16	2.1890	0.8740			
UCST211-34	2 1/8																			
UCST211-35	2 3/16																			
UCST212		60																UC212 UC212-36 UC212-38 UC212-39	ST212	11.5
UCST212-36	2 1/4		1 1/4	3/4	4	2 1/2	1 3/8	4	1 1/16	5 1/8	5 3/4	7 5/8	2 1/2	1 13/16	4 11/16	2.5630	1.0000			
UCST212-38	2 3/8																			
UCST212-39	2 7/16																			
UCST213		65																UC213 UC213-40	ST213	15.5
UCST213-40	2 1/2		1 1/4	13/16	4 3/8	2 3/4	1 5/8	4 3/4	1 1/16	5 15/16	6 9/16	8 13/16	2 3/4	2	5 3/8	2.5630	1.0000			

Wide Slot * Wide Inner Ring Bearing * Eccentric Locking Collar
High Grade Cast Iron Housing * Relubricatable with Anti-Rotation Pin



Unit no.	Shaft Dia.		Dimensions (Inch)																Bearing No.	Housing No.	Weight lbs.
	Inch	mm	o	g	q	p	s	b	k	e	a	w	j	L ₂	h	L	n	K			
HCST204 HCST204-12	3/4	20	5/8	3/8	2	1 1/4	3/4	2	17/32	3	3 1/2	3 11/16	1 1/4	15/16	2 3/8	1.720	0.673	1 1/4	HC204 HC204-12	ST204	1.85
HCST205 HCST205-14 HCST205-15 HCST205-16	7/8 15/16 1	25	5/8	3/8	2	1 1/4	7/8	2	17/32	3	3 1/2	3 13/16	1 1/4	15/16	2 7/16	1.748	0.688	1 1/2	HC205 HC205-14 HC205-15 HC205-16	ST205	1.94
HCST206 HCST206-17 HCST206-18 HCST206-19 HCST206-20	1 1/16 1 1/8 1 3/16 1 1/4	30	5/8	3/8	2 3/16	1 7/16	7/8	2 1/4	17/32	3 1/2	4	4 7/16	1 7/16	15/16	2 3/4	1.905	0.730	1 3/4	HC206 HC206-17 HC206-18 HC206-19 HC206-20	ST206	2.90
HCST207 HCST207-20 HCST207-21 HCST207-22 HCST207-23	1 1/4 1 5/16 1 3/8 1 7/16	35	5/8	1/2	2 1/2	1 7/16	7/8	2 1/2	17/32	3 1/2	4	5 1/16	1 7/16	1 3/16	3 1/16	2.016	0.742	2 3/16	HC207 HC207-20 HC207-21 HC207-22 HC207-23	ST207	3.68
HCST208 HCST208-24 HCST208-25	1 1/2 1 9/16	40	3/4	5/8	3 1/4	1 15/16	1 1/8	3 1/4	11/16	4	4 1/2	5 11/16	1 15/16	1 3/8	3 1/2	2.220	0.814	2 3/8	HC208 HC208-24 HC208-25	ST208	5.62
HCST209 HCST209-26 HCST209-27 HCST209-28	1 5/8 1 11/16 1 3/4	45	3/4	5/8	3 1/4	1 15/16	1 1/8	3 1/4	11/16	4	4 5/8	5 11/16	1 15/16	1 3/8	3 7/16	2.220	0.844	2 1/2	HC209 HC209-26 HC209-27 HC209-28	ST209	5.84
HCST210 HCST210-30 HCST210-31 HCST210-32	1 7/8 1 15/16 2	50	3/4	5/8	3 1/4	1 15/16	1 1/8	3 3/8	11/16	4	4 5/8	5 7/8	1 15/16	1 3/8	3 9/16	2.458	0.969	2 3/4	HC210 HC210-30 HC210-31 HC210-32	ST210	6.50
HCST211 HCST211-32 HCST211-34 HCST211-35	2 2 1/8 2 3/16	55	1	3/4	4	2 1/2	1 3/8	3 3/4	1 1/16	5 1/8	5 3/4	6 3/4	2 1/2	1 5/8	4 13/16	2.814	1.049	3	HC211 HC211-32 HC211-34 HC211-35	ST211	9.68
HCST212 HCST212-36 HCST212-38 HCST212-39	2 1/4 2 3/8 2 7/16	60	1 1/4	3/4	4	2 1/2	1 3/8	4	1 1/16	5 1/8	5 3/4	7 5/8	2 1/2	1 13/16	4 11/16	3.062	1.212	3 5/16	HC212 HC212-36 HC212-38 HC212-39	ST212	12.24