


Type "E" Tapered Roller Bearing Housed Unit

PowerDrive LLC

MECHANICAL P.T. COMPONENTS

www.powerdrive.com



CASE HARDENED



SOLID BASE




Type "E" Tapered Roller Bearing Housed Unit

Toll Free : 877-564-1600

info@powerdrive.com



PowerDrive Type "E" Tapered Roller Bearing Housed Unit

Pillow Block 2-Bolt Base


SOLID BASE & CASE HARDENED**Dimensions in Inches Unless Otherwise Noted**

Part Number	Shaft Size	B	L	A	J		Bolt Dia.	N	N ₁	H	H ₁	H ₂	d ₁	Shaft Size	Weight LBS (Approx)
					Min.	Max.									
E-P2B-TRB-1 3/16	1-3/16	2-3/4	6	1-7/8	4-3/4	4-13/16	1/2	9/16	19/32	1-7/8	7/8	3	2-1/4	1-3/16	4
E-P2B-TRB-1 1/4	1-1/4													1-1/4	4
E-P2B-TRB-1 3/8	1-3/8													1-3/8	7
E-P2B-TRB-1 7/16	1-7/16													1-7/16	7
E-P2B-TRB-35MM	35 mm													35 mm	7
E-P2B-TRB-1 1/2	1-1/2	3-3/8	7-7/8	2-3/8	6-1/8	6-3/8	1/2	5/8	3/4	2-1/8	1-1/4	4-1/4	3-3/16	1-1/2	10
E-P2B-TRB-1 5/8	1-5/8													1-5/8	10
E-P2B-TRB-1 11/16	1-11/16													1-11/16	10
E-P2B-TRB-40MM	40 mm													40 mm	10
E-P2B-TRB-1 3/4	1-3/4													1-3/4	12
E-P2B-TRB-1 7/8	1-7/8	3-1/2	8-7/8	2-1/2	6-7/8	7-1/8	5/8	3/4	7/8	2-1/4	1-5/16	4-1/2	3-7/16	1-7/8	12
E-P2B-TRB-1 15/16	1-15/16													1-15/16	12
E-P2B-TRB-2	2													2	12
E-P2B-TRB-45MM	45 mm													45 mm	12
E-P2B-TRB-50MM	50 mm													50 mm	12
E-P2B-TRB-2 3/16	2-3/16	3-3/4	9-5/8	2-5/8	7-5/8	7-7/8	5/8	3/4	7/8	2-1/2	1-1/2	5	3-3/4	2-3/16	15
E-P2B-TRB-55MM	55 mm													55 mm	15
E-P2B-TRB-2 1/4	2-1/4													2-1/4	24
E-P2B-TRB-2 7/16	2-7/16													2-7/16	23
E-P2B-TRB-2 1/2	2-1/2													2-1/2	23
E-P2B-TRB-60MM	60 mm	4	10-1/2	2-7/8	8-3/8	8-5/8	5/8	3/4	7/8	2-3/4	1-5/8	5-23/32	4-1/16	60 mm	23
E-P2B-TRB-65MM	65 mm													65 mm	23
E-P2B-TRB-2 11/16	2-11/16													2-11/16	28
E-P2B-TRB-2 3/4	2-3/4													2-3/4	28
E-P2B-TRB-2 15/16	2-15/16													2-15/16	29
E-P2B-TRB-3	3	4-1/2	12	3	9-5/16	9-11/16	3/4	27/32	1	3-1/8	1-7/8	6-1/4	4-23/32	3	29
E-P2B-TRB-70MM	70 mm													70 mm	28
E-P2B-TRB-75MM	75 mm													75 mm	29
E-P2B-TRB-3 3/16	3-3/16													3-3/16	46
E-P2B-TRB-3 1/4	3-1/4													3-1/4	46
E-P2B-TRB-3 7/16	3-7/16	5	14	3-1/2	10-13/16	11-3/16	7/8	1	1-3/16	3-3/4	2-1/4	7-1/2	5-17/32	3-7/16	45
E-P2B-TRB-3 1/2	3-1/2													3-1/2	44
E-P2B-TRB-80MM	80 mm													80 mm	46
E-P2B-TRB-85MM	85 mm													85 mm	45
E-P2B-TRB-90MM	90 mm													90 mm	44

Note: All units have a 1/8" pipe thread grease fitting

PowerDrive Type "E" Tapered Roller Bearing Housed Unit**Pillow Block 4-Bolt Base****SOLID BASE & CASE HARDENED**

2-1/4" Thru 3" Shaft Size



3-3/16" Thru 5" Shaft Size


Dimensions in Inches Unless Otherwise Noted

Part Number	Shaft Size	B	L	A	J		Bolt Dia.	N	N ₁	N ₂	H	H ₁	H ₂	d ₁	Shaft Size	Weight LBS (Approx)
					Min.	Max.										
E-P4B-TRB-2 1/4	2-1/4	4	10-1/2	3-1/2	8-5/16	8-11/16	5/8	11/16	7/8	1-7/8	2-3/4	1-5/8	5-23/32	4-1/16	2-1/4	23
E-P4B-TRB-2 7/16	2-7/16														2-7/16	22
E-P4B-TRB-2 1/2	2-1/2														2-1/2	22
E-P4B-TRB-60MM	60 mm														60 mm	22
E-P4B-TRB-65MM	65 mm														65 mm	22
E-P4B-TRB-2 11/16	2-11/16	4-1/2	12	4	9-3/16	9-13/16	5/8	11/16	1	2 1/8	3-1/8	1-7/8	6-1/4	4-23/32	2-11/16	30
E-P4B-TRB-2 3/4	2-3/4														2-3/4	29
E-P4B-TRB-2 15/16	2-15/16														2-15/16	28
E-P4B-TRB-3	3														3	28
E-P4B-TRB-70MM	70 mm														70 mm	30
E-P4B-TRB-75MM	75 mm	5	13-1/2	4-1/2	10-3/4	11-1/4	3/4	15/16	1-3/16	2-3/8	3-3/4	2-1/4	7-1/2	5-17/32	75 mm	29
E-P4B-TRB-3 3/16	3-3/16														3-3/16	47
E-P4B-TRB-3 1/4	3-1/4														3-1/4	46
E-P4B-TRB-3 7/16	3-7/16														3-7/16	45
E-P4B-TRB-3 1/2	3-1/2														3-1/2	44
E-P4B-TRB-80MM	80 mm	6-1/4	15-1/4	4-1/2	12-1/4	12-3/4	3/4	7/8	1-1/8	2-1/4	4-1/4	2-7/16	8-1/2	6-1/16	80 mm	47
E-P4B-TRB-85MM	85 mm														85 mm	46
E-P4B-TRB-90MM	90 mm														90 mm	45
E-P4B-TRB-3 15/16	3-15/16														3-15/16	71
E-P4B-TRB-4	4														4	71
E-P4B-TRB-100MM	100 mm	6-3/4	16-5/8	4-5/8	13-5/16	13-11/16	3/4	15/16	1-1/8	2-1/2	4-3/4	2-3/4	9-3/8	6-47/64	100 mm	71
E-P4B-TRB-4 7/16	4-7/16														4-7/16	91
E-P4B-TRB-4 1/2	4-1/2														4-1/2	90
E-P4B-TRB-110MM	110 mm														110 mm	91
E-P4B-TRB-115MM	115 mm														115 mm	90
E-P4B-TRB-4 15/16	4-15/16	7-1/4	18-1/2	5-1/8	15-1/4	15-3/4	7/8	1	1-1/4	2-7/8	5-1/2	3	10-7/8	7-1/2	4-15/16	134
E-P4B-TRB-5	5														5	132
E-P4B-TRB-125MM	125 mm														125 mm	132

Note: All units have a 1/8" pipe thread grease fitting

PowerDrive Type "E" Tapered Roller Bearing Housed Unit

Flange Block 4-Bolt Base

CASE HARDENED**Dimensions in Inches Unless Otherwise Noted**


Part Number	Shaft Size	B	L	A	J	A ₂	Bolt Dia.	A ₁	D	d ₁	Shaft Size	Weight LBS (Approx)
E-4BF-TRB-1 3/16	1-3/16	2-3/4	3-3/4	2-11/32	2-7/8	1/16	3/8	1	2-15/16	2-1/4	1-3/16	4
E-4BF-TRB-1 1/4	1-1/4										1-1/4	4
E-4BF-TRB-1 3/8	1-3/8										1-3/8	7
E-4BF-TRB-1 7/16	1-7/16										1-7/16	7
E-4BF-TRB-35MM	35 mm	3	4-5/8	2-19/32	3-1/2	1/16	1/2	1-1/16	3-1/2	2-3/4	35 mm	7
E-4BF-TRB-1 1/2	1-1/2										1-1/2	11
E-4BF-TRB-1 5/8	1-5/8										1-5/8	11
E-4BF-TRB-1 11/16	1-11/16										1-11/16	11
E-4BF-TRB-40MM	40 mm	3-3/8	5-3/8	2-31/32	4-1/8	1/8	1/2	1-3/16	4-3/16	3-3/16	40 mm	11
E-4BF-TRB-1 3/4	1-3/4										1-3/4	12
E-4BF-TRB-1 7/8	1-7/8										1-7/8	12
E-4BF-TRB-1 15/16	1-15/16										1-15/16	12
E-4BF-TRB-2	2	3-1/2	5-5/8	3-3/32	4-3/8	1/8	1/2	1-3/16	4-7/16	3-7/16	2	12
E-4BF-TRB-45MM	45 mm										45 mm	12
E-4BF-TRB-50MM	50 mm										50 mm	12
E-4BF-TRB-2 3/16	2-3/16										2-3/16	15
E-4BF-TRB-55MM	55 mm	3-3/4	6-1/4	3-9/32	4-7/8	1/8	5/8	1-3/8	4-7/8	3-3/4	55 mm	15
E-4BF-TRB-2 1/4	2-1/4										2-1/4	21
E-4BF-TRB-2 7/16	2-7/16										2-7/16	20
E-4BF-TRB-2 1/2	2-1/2										2-1/2	19
E-4BF-TRB-60MM	60 mm	4	6-7/8	3-9/16	5-3/8	3/16	5/8	1-1/2	5-5/16	4-1/16	60 mm	20
E-4BF-TRB-65MM	65 mm										65 mm	19
E-4BF-TRB-2 11/16	2-11/16										2-11/16	28
E-4BF-TRB-2 3/4	2-3/4										2-3/4	28
E-4BF-TRB-2 15/16	2-15/16	4-1/2	7-3/4	3-15/16	6	3/16	3/4	1-5/8	6	4-23/32	2-15/16	27
E-4BF-TRB-3	3										3	26
E-4BF-TRB-70MM	70 mm										70 mm	29
E-4BF-TRB-75MM	75 mm										75 mm	26
E-4BF-TRB-3 3/16	3-3/16	5	9-1/4	4-1/2	7	1/4	3/4	1-7/8	7-1/4	5-1/2	3-3/16	52
E-4BF-TRB-3 1/4	3-1/4										3-1/4	51
E-4BF-TRB-3 7/16	3-7/16										3-7/16	50
E-4BF-TRB-3 1/2	3-1/2										3-1/2	50
E-4BF-TRB-80MM	80 mm	6-1/4	10-1/4	5-5/8	7-3/4	1/4	7/8	2-1/8	8-1/4	6	80 mm	52
E-4BF-TRB-85MM	85 mm										85 mm	50
E-4BF-TRB-90MM	90 mm										90 mm	50
E-4BF-TRB-3 15/16	3-15/16										3-15/16	75
E-4BF-TRB-4	4	6-3/4	10-7/8	5-15/16	8-3/4	11/32	7/8	2-7/16	8-3/4	6-29/64	4	75
E-4BF-TRB-100MM	100 mm										100 mm	75
E-4BF-TRB-4 7/16	4-7/16										4-7/16	90
E-4BF-TRB-4 1/2	4-1/2										4-1/2	90
E-4BF-TRB-110MM	110 mm	6-3/4	10-7/8	5-15/16	8-3/4	11/32	7/8	2-7/16	8-3/4	6-29/64	110 mm	90
E-4BF-TRB-115MM	115 mm										115 mm	90

Note: All units have a 1/8" pipe thread grease fitting


≡ Type "E" Tapered Roller Bearing Housed Unit ≡



||| OUR PRODUCT RANGE |||



Bearings



Couplings



Sprockets



V-belt
Drives




Tighteners
& Idlers



Synchronous
Drives

Available at:



HEAD OFFICE
1401, Kentucky Street
Michigan City, IN 46360, USA
PH: +1-219-872-3000
FAX: +1-219-872-4327

SALES OFFICE
109, W 2nd Street
Maysville, KY 41056, USA
PH : +1-606-564-6100
FAX: +1-606-564-5700

DALLAS WAREHOUSE
4936, Sharp Street
Dallas, TX 75247, USA
PH : +1-214-267-2300
FAX : +1-214-267-2302

Your Complete Solution For Power Transmission.